Mishina, et al. USSN 09/786,309 Page -2-

## Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

- 1-7. (Cancelled).
- 8. (Currently Amended) A method of <u>preparing a mutant embryo mutating a gene-of</u> a vertebrate animal, comprising the steps of:
  - a) treating sperms of the vertebrate animal with a psoralen derivative;
- b) irradiating the treated sperms with UV light to form a crosslink between a DNA double helix and the psoralen derivative;
  - c) fertilizing eggs of the vertebrate animal with the irradiated sperms in vitro; and
- d) growing the fertilized eggs to mutant embryos of the vertebrate animal, wherein the mutant embryos embryos of mutant having comprise a gene having a small deletion of a plurality base pairs around at the crosslinked site in a genome.
  - 9. (Cancelled).
- 10. (Previously Presented) The method of claim 8, wherein the psoralen derivative is 4,5',8-trimethylpsoralen.
- 11. (Previously Presented) The method according to claim 10, wherein the vertebrate animal is zebrafish.
- 12. (Currently Amended) The method according to claim 8, wherein the mutation erosslink is introduced into the DNA in a region containing a pyrimidine base.

Mishina, et al. USSN 09/786,309 Page -3-

## 13-17. (Cancelled).

- 18. (Currently Amended) A method for analyzing a function of a gene of a vertebrate animal, comprising the steps of:
  - a) treating sperms of the vertebrate animal with a psoralen derivative;
- b) irradiating the treated sperms with UV light to form a crosslink between a DNA double helix and the psoralen derivative;
  - c) fertilizing an ogg eggs of the vertebrate animal with the irradiated sperm in vitro;
- d) growing the fertilized eggs to a-mutant <u>individuals of the vertebrate animal</u> having a mutated gene <u>which comprises</u> having a small deletion of a plurality base pairs around the crosslinked site in a genome;
- e) comparing phenotype of the mutant <u>individuals of the vertebrate animal</u> with that of a-wild type <u>individuals</u> of the vertebrate animal to find a difference of phenotype between the mutant and the wild type;
  - f) cloning the mutated gene; and
- g) analyzing functions of a gene of the vertebrate animal corresponding to the mutated gene from the difference of phenotype between the mutant and the wild type.
  - 19. (Cancelled).
- 20. (Previously Presented) The method according to claim 18, wherein the psoralen derivative is 4,5',8-trimethylpsoralen.
- 21. (Previously Presented) The method according to claim 20, wherein the vertebrate animal is zebrafish.
- 22. (Currently Amended) The method according to claim 18, wherein the mutation crosslink is introduced into the DNA in a region containing a pyrimidine base.